





AC | ACCESS



ACCESS



AC



Stair Tread 48" Wide

Part Number | MT-AC-ST-TR-48-30



Note | 30° Fixed Stair Tread

Standard Material	5052-H32 Aluminum Diamond Plate
Standard Finish	02 - No Finish
Available Finish(es)	N/A
Size	5.79" x 48" x 11.81" (146.95mm x 1219.20mm x 299.87mm)
Weight	20.35lbs (9.23kg)
Hole Size	11/16" (17.46mm)
Recommended Hardware	5/8"-11 Thread Grade 8 Bolt, 2" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut (M16 x 2 Thread, 50mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)
Recommended Tools	Tool Kit 1
For More Info	www.ModTruss.com



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK


MH

FH

GL

Series | AC Access

Product Number | MT-AC-ST-TR-48-30



Stair Stringer 24" x 30°

Part Number | MT-AC-ST-ST-24-30



Standard Material	A36 Low Carbon Steel
Standard Finish	10 - Zinc Clear
Available Finish(es)	10-12, 20-33
Size	6" x 23.2" x 39.82" (152.40mm x 589.28mm x 1011.43mm)
Weight	32.05lbs (14.54kg)
Hole Size	11/16" (17.46mm)
Recommended Hardware	5/8"-11 Thread Grade 8 Bolt, 2" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut (M16 x 2 Thread, 50mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)
Recommended Tools	Tool Kit 1
For More Info	www.ModTruss.com



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK


MH

FH

GL

Series | AC Access

Product Number | MT-AC-ST-ST-24-30



36" Adjustable Stair Assembly

Part Number | MT-AC-SA-AJ-XXX-XXX



**Call for configuration assistance*

Standard Material	N/A
Standard Finish	N/A
Available Finish(es)	N/A
Size	36" (914.40mm) Wide Stair Tread, Height and Length Per Order
Weight	--
Hole Size	11/16" (17.46mm)
Recommended Hardware	5/8"-11 Thread Grade 8 Bolt, 2.5" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut (M16 x 2 Thread, 64mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)
Recommended Tools	Tool Kit 1
For More Info	www.ModTruss.com



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK


MH

FH

GL

Series | **AC Access**

Product Number | MT-AC-SA-AJ-XXX-XXX



Universal Ladder Rung

Part Number | MT-AC-LR-1800-0900-0450



Standard Material	A36 Low Carbon Steel
Standard Finish	10 - Zinc Clear
Available Finish(es)	10-12. 20-33
Size	18" x 9" x 4.5" (457.20mm x 228.60mm x 114.30mm)
Weight	17.10lbs (273.60kg)
Hole Size	11/16" (17.46mm)
Recommended Hardware	5/8"-11 Thread Grade 8 Bolt, 2" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut (M16 x 2 Thread, 50mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)
Recommended Tools	Tool Kit 1
For More Info	www.ModTruss.com



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK


MH

FH

GL

Series | AC Access

Product Number | MT-AC-LR-1800-0900-0450



ModPanels with 1" Plywood (Heavy Duty)

48" x 96" ModPanel Rated for 150 PSF



Standard Material	5052-H32 Aluminum and 1" Plywood
Standard Finish	01 - Brush Finish and 95 - Enamel Satin Black
Available Finish(es)	5052-H32 Aluminum 20-33
Hole Size	11/16" (17.46mm)
Recommended Hardware	5/8"-11 Thread Grade 8 Bolt, 2" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut (M16 x 2 Thread, 50mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)
Recommended Tools	Tool Kit 1
For More Info	www.ModTruss.com

Part # Description	Size	Weight
MT-AC-MP-06-048-048 <i>48" x 48" ModPanel</i>	48" x 48" x 6" (1219.20mm x 1219.20mm x 152.40mm)	67.40lbs (30.57kg)* Weight Variance of +/- 2.5lbs
MT-AC-MP-06-048-096 <i>48" x 96" ModPanel</i>	48" x 96" x 6" (1219.20mm x 2438.4mm x 152.40mm)	154.20lbs (69.94kg)* Weight Variance of +/- 5lbs



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK


MH

FH

GL

Series | AC Access

Product Number | MT-AC-MP-XX-XXX-XXX



Steel Plank 3"

Part Number | MT-AC-MP-03-12-XXX

Rated for 175 PSF (over 10' span)



Standard Material	A36 Low Carbon Steel
Standard Finish	33 - Fine Texture Flat Gray
Available Finish(es)	20-33
Hole Size	11/16" (17.46mm), 1/4" (6.35mm)
Recommended Hardware	5/8"-11 Thread Grade 8 Bolt, 2" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut (M16 x 2 Thread, 50mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)
Recommended Tools	Tool Kit 1
For More Info	www.ModTruss.com

Part #	Size	Weight* Non-certified
MT-AC-MP-03-12-012	3" x 12" x 12" (76.20mm x 76.20mm x 304.80mm)	8.65lbs (2.22kg)*
MT-AC-MP-03-12-024	3" x 12" x 24" (76.20mm x 76.20mm x 609.60mm)	17.31lbs (7.85kg)*
MT-AC-MP-03-12-036	3" x 12" x 36" (76.20mm x 76.20mm x 914.40mm)	25.96lbs (11.77kg)*
MT-AC-MP-03-12-048	3" x 12" x 48" (76.20mm x 76.20mm x 1219.2mm)	34.61lbs (15.70kg)*
MT-AC-MP-03-12-060	3" x 12" x 60" (76.20mm x 76.20mm x 1524.0mm)	43.27lbs (19.63kg)*
MT-AC-MP-03-12-072	3" x 12" x 72" (76.20mm x 76.20mm x 1828.8mm)	51.92lbs (23.55kg)*
MT-AC-MP-03-12-084	3" x 12" x 84" (76.20mm x 76.20mm x 2133.6mm)	60.57lbs (27.47kg)*
MT-AC-MP-03-12-096	3" x 12" x 96" (76.20mm x 76.20mm x 2438.4mm)	69.22lbs (31.40kg)*
MT-AC-MP-03-12-108	3" x 12" x 108" (76.20mm x 76.20mm x 2743.2mm)	77.88lbs (35.33kg)*
MT-AC-MP-03-12-120	3" x 12" x 120" (76.20mm x 76.20mm x 3048.0mm)	86.53lbs (39.25kg)*



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK

MH



FH

GL

Series | AC Access

Product Number | MT-AC-MP-03-12-XXX

LENGTH	PART NUMBER
12"	MT-AC-MP-03-12-012
24"	MT-AC-MP-03-12-024
36"	MT-AC-MP-03-12-036
48"	MT-AC-MP-03-12-048
60"	MT-AC-MP-03-12-060
72"	MT-AC-MP-03-12-072
84"	MT-AC-MP-03-12-084
96"	MT-AC-MP-03-12-096
108"	MT-AC-MP-03-12-108
120"	MT-AC-MP-03-12-120





PRECISION LEVEL - MED - +.04 /-.01
BRACKET | DIMENSIONS ARE IN MM

9/5/2018
REVISION: VI

DESCRIPTION:
STEEL PLANK

PART NUMBER:
MT-AC-MP-03-12-XXX

Decorative Handrail Complete Set

Part Number | MT-AC-HR-DP-41-48-AS



Standard Material	A36 Low Carbon Steel and Polycarbonate Insert
Standard Finish	01 - Brush Finish
Available Finish(es)	20-33
Size	41" x 47" x 0.31" (1041.4mm x 1193.8mm x 7.87mm)
Weight	55.85lbs (25.33kg)
Hole Size	1/2" (12.7mm)
Recommended Hardware	4x - 5/16"-18 Thread Bolt, 1" Long 8x - 5/16" Washer 4x - 5/16"-18 Nylock Nut
Recommended Tools	Tool Kit 1
For More Info	www.ModTruss.com



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK


MH

FH

GL

Series | AC Access

Product Number | MT-AC-HR-DP-41-48-AS



Decorative Handrail Steel (No Insert)

Part Number | MT-AC-HR-DP-41-48



Standard Material	A36 Low Carbon Steel
Standard Finish	25 - Silver
Available Finish(es)	20-33
Size	41" x 47" x 0.31" (1041.4mm x 1193.8mm x 7.87mm)
Weight	41.35lbs (18.76kg)* Not Certified
Hole Size	1/2" (12.7mm)
Recommended Hardware	N/A
Recommended Tools	N/A
For More Info	www.ModTruss.com



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK


MH

FH

GL


Series | AC Access

Product Number | MT-AC-HR-DP-41-48



1/4" Thick Polycarbonate Clear Insert (No Graphics)

Part Number | MT-AC-HR-DP-POLY-41-48



Standard Material	Polycarbonate
Standard Finish	02 - No Finish
Available Finish(es)	N/A
Size	35.50" x 41.50" x 0.25" (901.70mm x 1054.10mm x 6.35mm)
Weight	14.20lbs (6.44kg)
Hole Size	1/2" (12.7mm)
Recommended Hardware	N/A
Recommended Tools	Tool Kit 1 9/16" Combination Wrench and Socket
For More Info	www.ModTruss.com



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK


MH

FH

GL

Series | AC Access

Product Number | MT-AC-HR-DP-POLY-41-48



Handrail Side Mount Series



MT-AC-HR-SM-12



MT-AC-HR-SM-26

Standard Material	A36 Low Carbon Steel	
Standard Finish	10 - Zinc Clear	
Available Finish(es)	10-12, 20-33	
Hole Size	11/16" (17.46mm), 1/2" (12.70mm)*	*Only on MT-AC-HR-SM-26
Recommended Hardware	5/8"-11 Thread Grade 8 Bolt, 2" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut (M16 x 2 Thread, 50mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)	
Recommended Tools	Tool Kit 1	
For More Info	www.ModTruss.com	

Part #	Size	Weight
MT-AC-HR-SM-26	2.56" x 25.50" x 2.25" (65.02mm x 647.70mm x 57.15mm)	10.0lbs (4.54kg)
MT-AC-HR-SM-12	2.56" x 11.00" x 2.25" (65.02mm x 279.40mm x 57.15mm)	4.40lbs (1.99kg)



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK


MH

FH

GL

Series | AC Access

Product Number | MT-AC-HR-SM-XX



Speed Rail Fitting 1.5"



MT-AC-HC-WYE-S-0150



MT-AC-HC-TES-F-0150



MT-AC-HC-CNR-S-0150



MT-AC-HC-INT-S-0150



MT-AC-HC-INT-F-0150



MT-AC-HC-INS-F-0150



MT-AC-HC-ELT-S-0150



MT-AC-HC-ELT-F-0150



MT-AC-HC-ELB-F-0150



MT-AC-HC-TEE-F-0150



MT-AC-HC-PNH-F-0150



MT-AC-HC-CAP-F-0150

Part #	Description	Weight
MT-AC-HC-WYE-S-0150	1.5" 540 Adjustable WYE	0.85lbs (0.38kg)
MT-AC-HC-TES-F-0150	1.5" 540 Fixed Tee	0.60lbs (0.27kg)
MT-AC-HC-CNR-S-0150	1.5" 540 Adjustable 2-Socket Elbow	1.30lbs (0.58kg)
MT-AC-HC-INT-S-0150	1.5" 540 Adjustable 4-Way Angle Cross	1.50lbs (0.68kg)
MT-AC-HC-INT-F-0150	1.5" 540 4-Way Cross Tee	0.55lbs (0.29kg)
MT-AC-HC-INS-F-0150	1.5" 540 Straight Connect	0.55lbs (0.24kg)
MT-AC-HC-ELT-S-0150	1.5" 540 Adjustable Elbow w/ Thru Hole	1.25lbs (0.56kg)
MT-AC-HC-ELT-F-0150	1.5" 540 Elbow w/ Pass-thru	0.50lbs (0.22kg)
MT-AC-HC-ELB-F-0150	1.5" 540 Fixed Elbow	0.75lbs (0.34kg)
MT-AC-HC-TEE-F-0150	1.5" 540 Tee Thru Hole	0.50lbs (0.22kg)
MT-AC-HC-PNH-F-0150	1.5" 540 Panel Hanger	0.30lbs (0.14kg)
MT-AC-HC-CAP-F-0150	1.5" Schedule 40 End Cap	0.10lbs (0.04kg)



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK

MH



















FH

GL

Series | **AC Access**

Product Number | MT-AC-HC-XXX-X-0150



MT-AC-HC-WYE-S-0150			
MT-AC-HC-TES-F-0150			
MT-AC-HC-CNR-S-0150			
MT-AC-HC-INT-S-0150			
MT-AC-HC-INT-F-0150			
MT-AC-HC-INS-F-0150			
MT-AC-HC-ELT-S-0150			
MT-AC-HC-ELT-F-0150			
MT-AC-HC-ELB-F-0150			
MT-AC-HC-TEE-F-0150			
MT-AC-HC-PNH-F-0150			
MT-AC-HC-CAP-F-0150			
 PRECISION LEVEL: MED. +0/-1 (1.59) BRACKET (1) DIMENSIONS ARE IN MM			
9/19/2018 REVISION: V1			
DESCRIPTION: 1.5" SPEED RAIL FITTINGS			
PART NUMBER: MT-AC-HC-XXX-X-0150			

Edge Protection Series

Material | Polyurethane Foam

For More Info | Contact ModTruss Inc. at info@ModTruss.com or Call (844) 663.8787



Straight Round Rail

Part Number | MT-AC-PD-6000-0300-0100-R

Outer Dimensions | 2.00" - 3.50"

Inner Dimensions | 1.00" - 2.50"

Length | 60"



Straight Square Rail

Part Number | MT-AC-PD-6000-0350-0200-SQ

Outer Dimensions | 3.00" - 3.50"

Inner Dimensions | 1.25" - 2.00"

Length | 60"



L Shaped Rail (w/ Wood Insert)

(Marine Grade Wood insert for easy installation)

Part Number | MT-AC-PD-6000-0600-0400-L



D Rail (w/ Metal Insert)

(Marine Grade Wood insert for easy installation)

Part Number | MT-AC-PD-4800-0750-0375

- Recessed Holes



TR

EX

PL

JH

PA

HG

MR

AC

HW

TK

MH

FH

GL

FRP (Fiberglass Reinforced Plastic) Decking

Material | Vinyl Ester Resin System

Benefits

- Load Capacity up to 200lbs PSF (variable on span)
- Slip Resistant
- Corrosion Resistant
- Fire Retardant
- High Strength to Weight Ratio

For More Info | Contact ModTruss Inc. at info@ModTruss.com or Call (844) 663.8787

