





HG | HINGES





180° Hinge Halves



MT-HG-S-12-12-12

MT-HG-S-06-06-06

Standard Material	A36 Low Carbon Steel
Standard Finish	10 - Zinc Clear
Available Finish(es)	10-12, 20-33
Recommended Hardware	5/8"-11 Thread Grade 8 Bolt, 2" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut (M16 x 2 Thread, 50mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)
Recommended Tools	Tool Kit 1
For More Info	www.ModTruss.com

Part # Description	Size	Weight	Hole Size
MT-HG-S-12-12-12 <i>12" 180° Hinge Half</i>	7.5" x 12" x 11" (190.50mm x 304.80mm x 279.40mm)	30.50lbs (13.83kg)	11/16" (17.46mm) 1" (25.40mm)
MT-HG-S-06-06-06 <i>6" 180° Hinge Half</i>	5.88" x 5" x 4" (149.35mm x 127.0mm x 101.6mm)	6.50lbs (2.95kg)	11/16" (17.46mm) 1.03" (26.16mm)



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible*



Serialized & Traceable

*Only 12" Hinge Half is compatible with standard Truss

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK

MH

FH

GL

Product Number | MT-HG-S-XX-XX-XX



MT-HG-S-12-12-12



PRECISION LEVEL: MED - ± 0.6 [1.59]
BRACKET [] DIMENSIONS ARE IN MM

8/13/2018	REVISION: VI
-----------	--------------

DESCRIPTION:

180 HINGE HALF

PART NUMBER:

MT-HG-S-XX-XX-XX

180° Hinge Hitch Pins



Standard Material	A36 Low Carbon Steel
Standard Finish	10 - Zinc Clear
Available Finish(es)	10-12
Hole Size	0.26" (6.50mm)
Recommended Hardware	Cotter Pin - MT-HW-P-CP-0448-0012-0110
Recommended Tools	Rubber Mallet
For More Info	www.ModTruss.com

Part # Description	Size	Weight
MT-HG-S-HP-12 <i>12" 180° Hinge Hitch Pin</i>	3" x 14.25" x 1" (76.20mm x 361.95mm x 25.40mm)	3.60lbs (1.63kg)
MT-HG-S-HP-06 <i>6" 180° Hinge Hitch Pin</i>	3" x 8.25" x 1" (76.20mm x 209.55mm x 25.40mm)	2.20lbs (1.0kg)



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK


MH

FH

GL

Series | **HG Hinges**

Product Number | MT-HG-HP-XX



180° Hinge Half Pivot Pins



Standard Material	A36 Low Carbon Steel
Standard Finish	10 - Zinc Clear
Available Finish(es)	10-12
Hole Size	0.25" (6.35mm)
Recommended Hardware	Roll Pin - MT-HW-P-RP-0200-0016-0109
Recommended Tools	Tool Kit 1 Ball Peen Hammer
For More Info	www.ModTruss.com

Part # Description	Size	Weight
MT-HG-S-PP-12 <i>12" 180° Hinge Half Pivot Pin</i>	12.25" x 1" x 0.25" (311.15mm x 25.40mm x 6.35mm)	2.65lbs (1.20kg)
MT-HG-S-PP-06 <i>6" 180° Hinge Half Pivot Pin</i>	6.5" x 1" x 0.25" (165.10mm x 25.40mm x 6.35mm)	1.35lbs (0.61kg)



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK

MH

FH



GL

Series | **HG Hinges**



Product Number | MT-HG-PP-XX



MT-HG-PP-12




MT-HG-PP-06



	PRECISION LEVEL: MED - ±0.04 [1.09] BRACKET (1) DIMENSIONS ARE IN MM	
	9/11/2018	REVISION: VI
DESCRIPTION: PIVOT PINS		
PART NUMBER: MT-HG-PP-XX		

180° Hinge Assemblies


Some assembly required



MT-HG-S-12-12-12-AS

Components Included

- Qty. 2 - MT-HG-S-12-12-12
- Qty. 1 - MT-HG-S-PP-12
- Qty. 6 - MT-HW-P-RP-0200-0016-0109



MT-HG-S-06-06-06-AS

Components Included

- Qty. 2 - MT-HG-S-06-06-06
- Qty. 1 - MT-HG-S-PP-06
- Qty. 6 - MT-HW-P-RP-0200-0016-0109

Standard Material	A36 Low Carbon Steel
Standard Finish	10 - Zinc Clear
Available Finish(es)	10-12, 20-33
Hole Size	11/16" (17.46mm)
Recommended Tools	Tool Kit 1 Ball Peen Hammer
For More Info	www.ModTruss.com

Part # Description	Size	Weight	Recommended Hardware
MT-HG-S-12-12-12-AS* <i>12" 180° Hinge Assembly</i>	12" x 12" x 12" (304.80mm x 304.80mm x 304.80mm)	65.10lbs (29.53kg)	5/8"-11 Thread Grade 8 Bolt, 2.5" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut (M16 x 2 Thread, 64mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)
MT-HG-S-06-06-06-AS <i>6" 180° Hinge Assembly</i>	6" x 6" x 6" (152.40mm x 152.40mm x 152.40mm)	14.50lbs (6.58kg)	5/8"-11 Thread Grade 8 Bolt, 2" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut (M16 x 2 Thread, 50mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible*



Serialized & Traceable

*Only 12" Hinge Assembly is compatible with standard Truss

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK





MH

FH

GL


Series | **HG Hinges**

Product Number | MT-HG-S-XX-XX-XX-AS




MT-HG-S-06-06-06-AS

MT-HG-S-12-12-12-AS



HINGE PIN



HINGE PIN



 ModTruss^{INC}	PRECISION LEVEL: MED - 1.04 [1.59] BRACKET (1) DIMENSIONS ARE IN MM	
	8/13/2018	REVISION: VI
DESCRIPTION: 180 HINGE ASSEMBLY		
PART NUMBER: MT-HG-S-XX-XX-XX-AS		

Flat Hinges



MT-HG-F-12-12-24

MT-HG-F-06-06-12

Standard Material	A36 Low Carbon Steel
Standard Finish	10 - Zinc Clear
Available Finish(es)	10-12, 20-33
Hole Size	11/16" (17.46mm)
Recommended Hardware	5/8"-11 Thread Grade 8 Bolt, 2" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut (M16 x 2 Thread, 50mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)
Recommended Tools	Tool Kit 1
For More Info	www.ModTruss.com

Part # Description	Size	Weight
MT-HG-F-12-12-24* <i>12" Flat Hinge</i>	12.5" x 12" x 2.5" (317.50mm x 304.80mm x 63.50mm)	27.40lbs (12.43kg)
MT-HG-F-06-06-12 <i>6" Flat Hinge</i>	6.5" x 6" x 2.5" (165.10mm x 152.40mm x 63.50mm)	8.35lbs (3.79kg)



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible*



Serialized & Traceable

*Only 12" Flush Hinge is compatible with standard Truss

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK

MH

FH

GL

Series | **HG Hinges**

Product Number | MT-HG-F-XX-XX-XX

