




HW | HARDWARE



Grade 8 Hardware



Part #	Description	Weight
MT-HW-BS-0200-GR8-132	5/8-11 x 2" Hex Bolt Set (Bolt, Nut, 2x Washer)	0.35lbs (0.16kg)
MT-HW-BS-0250-GR8-132	5/8-11 x 2.5" Hex Bolt Set (Bolt, Nut, 2x Washer)	0.40lbs (0.18kg)



MT-HW-BT-HEX-HEX-GR8-0100-132	5/8-11 Hex Bolt, 1"	2.35oz (0.066kg)
MT-HW-BT-HEX-HEX-GR8-0125-132	5/8-11 Hex Bolt, 1.25"	2.65oz (0.075kg)
MT-HW-BT-HEX-HEX-GR8-0150-132	5/8-11 Hex Bolt, 1.5"	2.95oz (0.083kg)
MT-HW-BT-HEX-HEX-GR8-0175-132	5/8-11 Hex Bolt, 1.75"	3.15oz (0.089kg)
MT-HW-BT-HEX-HEX-GR8-0200-132	5/8-11 Hex Bolt, 2"	3.50oz (0.099kg)
MT-HW-BT-HEX-HEX-GR8-0250-132	5/8-11 Hex Bolt, 2.5"	4.30oz (0.121kg)
MT-HW-BT-HEX-HEX-GR8-0300-132	5/8-11 Hex Bolt, 3"	4.85oz (0.137kg)
MT-HW-BT-HEX-HEX-GR8-0350-132	5/8-11 Hex Bolt, 3.5"	5.60oz (0.158kg)
MT-HW-BT-HEX-HEX-GR8-0400-132	5/8-11 Hex Bolt, 4"	6.30oz (0.178kg)
MT-HW-BT-HEX-HEX-GR8-0450-132	5/8-11 Hex Bolt, 4.5"	6.95oz (0.197kg)
MT-HW-BT-HEX-HEX-GR8-0500-132	5/8-11 Hex Bolt, 5"	7.60oz (0.215kg)
MT-HW-BT-HEX-HEX-GR8-0550-132	5/8-11 Hex Bolt, 5.5"	8.35oz (0.236kg)
MT-HW-BT-HEX-HEX-GR8-0600-132	5/8-11 Hex Bolt, 6"	9.05oz (0.256kg)
MT-HW-BT-HEX-HEX-GR8-0650-132	5/8-11 Hex Bolt, 6.5"	9.70oz (0.274kg)
MT-HW-BT-HEX-HEX-GR8-0700-132	5/8-11 Hex Bolt, 7"	10.25oz (0.290kg)
MT-HW-BT-HEX-HEX-GR8-0750-132	5/8-11 Hex Bolt, 7.5"	10.95oz (0.310kg)
MT-HW-BT-HEX-HEX-GR8-0800-132	5/8-11 Hex Bolt, 8"	11.70oz (0.331kg)



MT-HW-WA-G-0013-0050-1300-GR8-SAE	5/8 SAE Washer	0.02lbs (0.009kg)
--	----------------	-------------------



MT-HW-NT-HEX-HEX-GR8-132	5/8-11 Nut	0.07lbs (0.03kg)
---------------------------------	------------	------------------



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable




Compatible



Serialized & Traceable

Grade 8 Hardware



Part #	Description	Weight
MT-HW-BT-HEX-HEX-GR8-0100-128	1/2-13 Hex Bolt, 1"	1.30oz (0.036kg)
MT-HW-BT-HEX-HEX-GR8-0125-128	1/2-13 Hex Bolt, 1.25"	1.50oz (0.042kg)
MT-HW-BT-HEX-HEX-GR8-0150-128	1/2-13 Hex Bolt, 1.5"	1.70oz (0.048kg)
MT-HW-BT-HEX-HEX-GR8-0175-128	1/2-13 Hex Bolt, 1.75"	1.85oz (0.052kg)
MT-HW-BT-HEX-HEX-GR8-0200-128	1/2-13 Hex Bolt, 2"	2.15oz (0.060kg)
MT-HW-BT-HEX-HEX-GR8-0250-128	1/2-13 Hex Bolt, 2.5"	2.60oz (0.073kg)
MT-HW-BT-HEX-HEX-GR8-0300-128	1/2-13 Hex Bolt, 3"	3.00oz (0.085kg)
MT-HW-BT-HEX-HEX-GR8-0350-128	1/2-13 Hex Bolt, 3.5"	3.45oz (0.097kg)
MT-HW-BT-HEX-HEX-GR8-0400-128	1/2-13 Hex Bolt, 4"	3.90oz (0.110kg)
MT-HW-BT-HEX-HEX-GR8-0450-128	1/2-13 Hex Bolt, 4.5"	4.35oz (0.123kg)
MT-HW-BT-HEX-HEX-GR8-0500-128	1/2-13 Hex Bolt, 5"	4.75oz (0.134kg)
MT-HW-BT-HEX-HEX-GR8-0550-128	1/2-13 Hex Bolt, 5.5"	5.15oz (0.146kg)
MT-HW-BT-HEX-HEX-GR8-0600-128	1/2-13 Hex Bolt, 6"	5.60oz (0.158kg)
MT-HW-BT-HEX-HEX-GR8-0650-128	1/2-13 Hex Bolt, 6.5"	6.00oz (0.170kg)
MT-HW-BT-HEX-HEX-GR8-0700-128	1/2-13 Hex Bolt, 7"	6.30oz (0.178kg)
MT-HW-BT-HEX-HEX-GR8-0750-128	1/2-13 Hex Bolt, 7.5"	6.85oz (0.194kg)
MT-HW-BT-HEX-HEX-GR8-0800-128	1/2-13 Hex Bolt, 8"	7.30oz (0.206kg)



MT-HW-WA-G-0013-0050-0106-GR8-SAE	1/2 SAE Washer	0.35oz (0.009kg)
-----------------------------------	----------------	------------------



MT-HW-NT-HEX-HEX-GR8-128	1/2-13 Nut	1.15oz (0.032kg)
--------------------------	------------	------------------



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK

MH

FH

GL

Misc. Hardware



Part #	Description	Weight
MT-HW-BT-TPD-ALN-BLO-0100-132	5/8-11 Tapered Head Socket Screw, 1"	1.53oz (0.043kg)
MT-HW-BT-TPD-ALN-BLO-0125-132	5/8-11 Tapered Head Socket Screw, 1.25"	1.80oz (0.051kg)
MT-HW-BT-TPD-ALN-BLO-0150-132	5/8-11 Tapered Head Socket Screw, 1.5"	2.10oz (0.059kg)
MT-HW-BT-TPD-ALN-BLO-0175-132	5/8-11 Tapered Head Socket Screw, 1.75"	2.35oz (0.066kg)
MT-HW-BT-TPD-ALN-BLO-0200-132	5/8-11 Tapered Head Socket Screw, 2"	2.65oz (0.075kg)
MT-HW-BT-TPD-ALN-BLO-0250-132	5/8-11 Tapered Head Socket Screw, 2.5"	3.25oz (0.092kg)
MT-HW-BT-TPD-ALN-BLO-0300-132	5/8-11 Tapered Head Socket Screw, 3"	3.805oz (0.107kg)


MT-HW-BT-TPD-ALN-BLO-0100-128	1/2-13 Tapered Head Socket Screw, 1"	0.90oz (0.025kg)
MT-HW-BT-TPD-ALN-BLO-0125-128	1/2-13 Tapered Head Socket Screw, 1.25"	1.05oz (0.029kg)
MT-HW-BT-TPD-ALN-BLO-0150-128	1/2-13 Tapered Head Socket Screw, 1.5"	1.25oz (0.035kg)
MT-HW-BT-TPD-ALN-BLO-0175-128	1/2-13 Tapered Head Socket Screw, 1.75"	1.45oz (0.041kg)
MT-HW-BT-TPD-ALN-BLO-0200-128	1/2-13 Tapered Head Socket Screw, 2"	1.60oz (0.045kg)
MT-HW-BT-TPD-ALN-BLO-0250-128	1/2-13 Tapered Head Socket Screw, 2.5"	2.05oz (0.058kg)
MT-HW-BT-TPD-ALN-BLO-0300-128	1/2-13 Tapered Head Socket Screw, 3"	2.35oz (0.066kg)



MT-HW-BT-SHC-CUP-BLO-075-132	5/8-11 Cup Point Set Screw, 0.75"	0.65oz (0.018kg)
MT-HW-BT-SHC-CUP-BLO-075-128	1/2-13 Cup Point Set Screw, 0.75"	0.35oz (0.009kg)



MT-HW-P-RP-0200-0016-0109	Roll Pin	3.0oz (0.085kg)
---------------------------	----------	-----------------



MT-HW-P-AS-0300-0100-0106	1" Pin (Usable length: 1")	0.75lbs (0.34kg)
---------------------------	----------------------------	------------------



MT-HW-P-CP-0448-0012-0110	Cotter Pin	3.0oz (0.085kg)
---------------------------	------------	-----------------



MT-HW-AC-132-0200	5/8-11 Hex Bolt, 2" Ammo Can	4.90lbs (2.22kg)
MT-HW-AC-132-0250	5/8-11 Hex Bolt, 2.5" Ammo Can	5.31lbs (2.40kg)

Custom branding available



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

Nut Bars



MT-HW-NB-1050-0125-0050-000-XXX-04



MT-HW-NB-0750-0125-0050-000-XXX-03



MT-HW-NB-0450-0125-0050-000-XXX-02



MT-HW-NB-0150-0125-0050-000-XXX-01

Standard Material	A36 Low Carbon Steel
Standard Finish	10 - Zinc Clear
Available Finish(es)	10-12
Recommended Tools	Tool Kit 1 3/4" Combination Wrench* *Only For 1/2"-13 Nut Bars
For More Info	www.ModTruss.com

Part # Description	Size	Weight	Hole Size	Recommended Hardware
MT-HW-NB-1050-0125-0050-000-132-04 <i>4-Hole 5/8"-11 Nut Bar</i>	1.25" x 10.5" x 0.5" (31.75mm x 267.0mm x 12.70mm)	1.65lbs (0.75kg)	5/8"-11 Threaded	5/8"-11 Thread Grade 8 Bolt, 1" Long 5/8" SAE Zinc-Plated Washer
MT-HW-NB-0750-0125-0050-000-132-03 <i>3-Hole 5/8"-11 Nut Bar</i>	1.25" x 7.5" x 0.5" (31.75mm x 190.50mm x 12.70mm)	1.20lbs (0.54kg)		
MT-HW-NB-0450-0125-0050-000-132-02 <i>2-Hole 5/8"-11 Nut Bar</i>	1.25" x 4.5" x 0.5" (31.75mm x 114.30mm x 12.70mm)	0.70lbs (0.32kg)		
MT-HW-NB-0150-0125-0050-000-132-01 <i>1-Hole 5/8"-11 Nut Bar</i>	1.25" x 1.50" x 0.5" (31.75mm x 38.10mm x 12.70mm)	0.20lbs (0.09kg)		
MT-HW-NB-1050-0125-0050-000-128-04 <i>4-Hole 1/2"-13 Nut Bar</i>	1.25" x 10.5" x 0.5" (31.75mm x 267.0mm x 12.70mm)	1.75lbs (0.79kg)	1/2"-13 Threaded	1/2"-13 Thread Grade 8 Bolt, 1" Long 1/2" SAE Zinc-Plated Washer
MT-HW-NB-0750-0125-0050-000-128-03 <i>3-Hole 1/2"-13 Nut Bar</i>	1.25" x 7.5" x 0.5" (31.75mm x 190.50mm x 12.70mm)	1.35lbs (0.61kg)		
MT-HW-NB-0450-0125-0050-000-128-02 <i>2-Hole 1/2"-13 Nut Bar</i>	1.25" x 4.5" x 0.5" (31.75mm x 114.30mm x 12.70mm)	0.75lbs (0.34kg)		
MT-HW-NB-0150-0125-0050-000-128-01 <i>1-Hole 1/2"-13 Nut Bar</i>	1.25" x 1.50" x 0.5" (31.75mm x 38.10mm x 12.70mm)	0.25lbs (0.11kg)		



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK


MH

FH

GL

Series | HW Hardware

Product Number | MT-HW-NB-XXXX-0125-0050-000-XXX-XX



Insert Nuts



MT-HW-IN-0150-0100-0050-128-01



MT-HW-IN-0150-0100-0050-124-01



MT-HW-IN-0150-0100-0050-132-01

Standard Material	A36 Low Carbon Steel
Standard Finish	10 - Zinc Clear
Available Finish(es)	10-12
Size	1" x 1.5" x 0.5" (25.40mm x 38.10mm x 12.70mm)
Recommended Tools	Tool Kit 1 3/4" Combination Wrench* *Only For 1/2"-13 Insert Nut
For More Info	www.ModTruss.com

Part # Description	Weight	Hole Size	Recommended Hardware
MT-HW-IN-0150-0100-0050-132-01 <i>5/8"-11 Insert Nut</i>	0.15lbs (0.07kg)	5/8"-11 Threaded	5/8"-11 Thread Grade 8 Bolt, 1" Long 5/8" SAE Zinc-Plated Washer
MT-HW-IN-0150-0100-0050-128-01 <i>1/2"-13 Insert Nut</i>	0.15lbs (0.07kg)	1/2"-13 Threaded	1/2"-13 Thread Grade 8 Bolt, 1" Long 1/2" SAE Zinc-Plated Washer
MT-HW-IN-0150-0100-0050-124-01 <i>3/8"-16 Insert Nut</i>	0.20lbs (0.09kg)	3/8"-16 Threaded	3/8"-16 Thread Grade 8 Bolt, 1" Long 3/8" SAE Zinc-Plated Washer



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK


MH

FH

GL


Series | HW Hardware

Product Number | MT-HW-IN-0150-0100-0050-000-XXX-01



3" Extrusion Blind Connector Assembly

Part Number | MT-HW-BC-03-03-AS



Components Included

Qty. 2 - MT-HW-BC-B-0308-002-132

Qty. 1 - MT-HW-BC-F-0308-003-132

Qty. 5 - MT-HW-SC-SHS-ALN-20-00-0108-132-0032

Standard Material	A36 Low Carbon Steel
Standard Finish	10 - Zinc Clear
Available Finish(es)	10-12
Size	3.37" x 3.13" x 0.5" (85.7mm x 79.4mm x 12.70mm)
Weight	1.30lbs (0.59kg)
Hole Size	5/8"-11 Threaded
Recommended Hardware	N/A
Recommended Tools	6 Hex Key Wrench Cluster - MT-TK-HX-00-0-SAE
For More Info	www.ModTruss.com



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK


MH

FH

GL

Series | HW Hardware

Product Number | MT-HW-BC-03-03-AS



5/8"-11 Swivel Hoist Ring (Female)

Part Number | MT-HW-NT-09-0109-128-0000-0000



Standard Material	Steel
Standard Finish	N/A
Available Finish(es)	N/A
Size	5.38" x 3.5" (135.53mm x 88.9mm)
Weight	1.80lbs (0.82kg)
Hole Size	5/8"-11 Threaded
Recommended Hardware	Tapper Head Socket Cap 5/8"-11 Grade 8 Bolt, 2" Long
Recommended Tools	Tool Kit 1
For More Info	www.ModTruss.com



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK


MH

FH

GL

Series | HW Hardware

Product Number | MT-HW-NT-09-0109-128-0000-0000



 ModTruss [™] INC.	PRECISION LEVEL: MED. $\pm .06$ [1.29] BRACKET (1) DIMENSIONS ARE IN MM	
	2/6/2018	REVISION: NR
DESCRIPTION: 5/8-11 SWIVEL HOIST RING, FEMALE		
PART NUMBER: MT-HW-NT-09-0109-128-0000-0000		

5/8"-11 Swivel Hoist Ring (Male)

Part Number | MT-HW-BT-LHS-ALN-04-00-0109-128-0100



Standard Material	Steel
Standard Finish	N/A
Available Finish(es)	N/A
Size	6.38" x 3.5" (161.93mm x 88.9mm)
Weight	2.40lbs (1.08kg)
Hole Size	N/A
Recommended Hardware	5/8"-11 Grade 8 Nylon Nut
Recommended Tools	Tool Kit 1
For More Info	www.ModTruss.com



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK



MH

FH

GL

Series | HW Hardware

Product Number | MT-HW-BT-LHS-ALN-04-00-0109-128-0100



 ModTruss ^{INC}	PRECISION LEVEL MATED 5/8-11 SWIVEL HOIST RING, MALE BRACKET (1) DIMENSIONS ARE IN INCHES	
	2/6/2018	REVISION: NR
DESCRIPTION: 5/8-11 SWIVEL HOIST RING, MALE		
PART NUMBER: MT-HW-BT-LHS-ALN-04-00-0109-128-0100		

3/4"-10 Swivel Hoist Ring (Male)

Part Number | MT-HW-BT-LHS-ALN-06-00-0109-134-0100



Standard Material	Steel
Standard Finish	N/A
Available Finish(es)	N/A
Size	6.38" x 3.5" (161.93mm x 88.9mm)
Weight	2.50lbs (1.13kg)
Hole Size	N/A
Recommended Hardware	3/4"-10 Grade 8 Nylon Nut
Recommended Tools	Tool Kit 1
For More Info	www.ModTruss.com



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK


MH

FH

GL

Series | HW Hardware

Product Number | MT-HW-BT-LHS-ALN-06-00-0109-134-0100



Cable Control Kit

Part Number | MT-HW-MM-070-0345-0121-0043



Mag Mount 70
Part Number | MT-HW-MM-70
Size | 94mm x 34mm x 17mm

Standard Material	Neodymium
Standard Finish	N/A
Available Finish(es)	N/A
Size	N/A
Weight	N/A
Hole Size	M6-1 Thread
Recommended Hardware	N/A
Recommended Tools	N/A
For More Info	www.ModTruss.com



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK

MH

FH

GL

Mag Mount 1500


Part Number | MT-HW-MM-1500-N

Material | Neodymium Magnet and Steel

Benefits

- 1,500lbs Pull Force
- Compatible with ModTruss Bolt Hole Pattern
- Semi Permanent
- Non-penetrating
- Non-destructive
- Fast and Efficient Without Having to Weld

For More Info | Contact ModTruss Inc. at info@ModTruss.com or Call (844) 663.8787



ModTruss^{INC}



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

Mag Mount 1500W


Part Number | MT-HW-MM-1500-W

Material | Neodymium Magnet and Steel

Benefits

- 1,500lbs Pull Force
- Compatible with ModTruss Bolt Hole Pattern
- Semi Permanent
- Non-penetrating
- Non-destructive
- Fast and Efficient Without Having to Weld

For More Info | Contact ModTruss Inc. at info@ModTruss.com or Call (844) 663.8787



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK

MH

FH

GL

Mag Mount 3000


Part Number | MT-HW-MM-3000-W

Material | Neodymium Magnet and Steel

Benefits

- 3,000lbs Pull Force
- Compatible with ModTruss Bolt Hole Pattern
- Semi Permanent
- Non-penetrating
- Non-destructive
- Fast and Efficient Without Having to Weld

For More Info | Contact ModTruss Inc. at info@ModTruss.com or Call (844) 663.8787



ModTruss^{INC}



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable