




PL | PLATES







PL



Washer Plates



MT-PL-W-06



MT-PL-W-12

Standard Material	A36 Low Carbon Steel
Standard Finish	11 - Zinc Gold/Yellow
Available Finish(es)	10-12, 20-33* *Powder Coating Not recommended Gold/Yellow color aids in inspection
Hole Size	11/16" (17.46mm)
Recommended Tools	Tool Kit 1
For More Info	www.ModTruss.com

Part # Description	Size	Weight	Recommended Hardware
MT-PL-W-12 <i>12" Washer Plate</i>	3" x 10.25" x 0.5" (76.20mm x 260.35mm x 12.70mm)	3.30lbs (1.50kg)	5/8"-11 Thread Grade 8 Bolt, 2.5" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut (M16 x 2 Thread, 64mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)
MT-PL-W-06 <i>6" Washer Plate</i>	1.75" x 4.88" x 0.31" (44.45mm x 123.95mm x 7.87mm)	0.55lbs (0.25kg)	5/8"-11 Thread Grade 8 Bolt, 2" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut (M16 x 2 Thread, 50mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible*



Serialized & Traceable

*Only 12" Washer Plate | MT-PL-W-12 is compatible with standard Truss

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK


MH

FH


GL

Series | **PL Plates**

Product Number | MT-PL-W-XX




MT-PL-W-12




MT-PL-W-06

	PRECISION LEVEL: (MED - 5.06 [1.29]) BRACKET (1) DIMENSIONS ARE IN MM	
	8/13/2018	REVISION: VI
DESCRIPTION: WASHER PLATES		
PART NUMBER: MT-PL-W-XX		

Splice Plates



MT-PL-S-12-24-00



MT-PL-S-06-12-00



MT-PL-S-12-24-90



MT-PL-S-06-12-90

Standard Material	A36 Low Carbon Steel
Standard Finish	10 - Zinc Clear
Available Finish(es)	10-12, 20-33
Hole Size	11/16" (17.46mm)
Recommended Hardware	5/8"-11 Thread Grade 8 Bolt, 2" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut (M16 x 2 Thread, 50mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)
Recommended Tools	Tool Kit 1
For More Info	www.ModTruss.com

Part # Description	Size	Weight
MT-PL-S-12-24-00* <i>12" x 24" Splice Plate</i>	11.50" x 22.50" x 0.25" (292.10mm x 571.50mm x 6.35mm)	11.85lbs (5.38kg)
MT-PL-S-06-12-00 <i>6" x 12" Splice Plate</i>	11.75" x 5.75" x 0.25" (298.45mm x 146.05mm x 6.35mm)	3.10lbs (1.41kg)
MT-PL-S-12-24-90* <i>12" x 24" x 90° Flat Angle Splice Plate</i>	23.5" x 23.5" x 0.25" (596.9mm x 596.9mm x 6.35mm)	18.85lbs (8.55kg)
MT-PL-S-06-12-90 <i>6" x 12" x 90° Flat Angle Splice Plate</i>	11.75" x 11.75" x 0.25" (298.45mm x 298.45mm x 6.35mm)	4.75lbs (2.15kg)



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible*



Serialized & Traceable

*Only 12" Splice Plates are compatible with standard Truss

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK

MH


FH

GL






Series | **PL Plates**

Product Number | MT-PL-S-XX-XX-XX

MT-PL-S-12-24-00



MT-PL-S-06-12-00



MT-PL-S-06-12-90

	PRECISION LEVEL: MED - +0.6 [-1.57] BRACKET () DIMENSIONS ARE IN MM	
	8/13/2018	REVISION: VI
DESCRIPTION: SPLICE PLATES		
PART NUMBER: MT-PL-S-XX-XX-XX		


MT-PL-S-12-24-90

3-Way Splice Plate 12" x 12" 45°

Part Number | MT-PL-S-12-12-72-045-096



Use: Makes a 96" x 96" Frame



Standard Material	A36 Low Carbon Steel
Standard Finish	10 - Zinc Clear
Available Finish(es)	10-12, 20-33
Size	20.00" x 20.00" x 0.25" (508.00mm x 508.00mm x 6.35mm)
Weight	13.30lbs (6.03kg)
Hole Size	11/16" (17.46mm)
Recommended Hardware	5/8"-11 Thread Grade 8 Bolt, 2" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut (M16 x 2 Thread, 50mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)
Recommended Tools	Tool Kit 1
For More Info	www.ModTruss.com



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK



MH

FH

GL

Series | **PL Plates**

Product Number | MT-PL-S-12-12-72-045-096



	PRECISION LEVEL: MED - 0.04 (1.59) BRACKET (1) DIMENSIONS ARE IN MM	
	9/5/2018	REVISION: NR
DESCRIPTION: 12" 45deg Splice Plate for 96" Square		
PART NUMBER: MT-PL-S-12-12-72-045-096		

3" Splice Plate

Part Number | MT-PL-S-03-15-TEE



Standard Material	A36 Low Carbon Steel
Standard Finish	10 - Zinc Clear
Available Finish(es)	10-12, 20-33
Size	14.44" x 8.63" x 0.25" (366.78mm x 219.20mm x 6.35mm)
Weight	3.55lbs (1.61kg)
Hole Size	11/16" (17.46mm)
Recommended Hardware	5/8"-11 Thread Grade 8 Bolt, 5" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut
Recommended Tools	Tool Kit 1
For More Info	www.ModTruss.com



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK

MH

FH


GL

Product Number | MT-PL-S-03-XX-XXX



Inner Splice Plate 3" x 12"

Part Number | MT-PL-S-03-12-04-IS



Note | This product is only used with ModTruss 3" x 3" Truss

Standard Material	A36 Low Carbon Steel
Standard Finish	10 - Zinc Clear
Available Finish(es)	10-12, 20-33
Size	2.19" x 11.81" x 0.67" (55.63mm x 299.97mm x 17.02mm)
Weight	1.85lbs (0.84kg) Plate 1.85lbs + .2lbs = 2.05lbs Total Weight
Hole Size	11/16" (17.46mm)
Recommended Hardware	1/2"-13 x 1" Taper Head Socket Cap Screw
Recommended Tools	Tool Kit 1 6 Hex Key Wrench Cluster - MT-TK-HX-00-0-SAE
For More Info	www.ModTruss.com



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK


MH

FH

GL

Series | **PL Plates**

Product Number | MT-PL-S-03-12-04-IS



Aluminum Spacer Plates



Standard Material	5052-H32 Aluminum
Standard Finish	02 - No Finish
Available Finish(es)	20-33
Hole Size	11/16" (17.46mm)
Recommended Tools	Tool Kit 1
For More Info	www.ModTruss.com

Part #	Size	Weight	Recommended Hardware
MT-PL-SP-06-06-0025	6" x 6" x 0.25" (152.40mm x 152.40mm x 6.35mm)	0.50lbs (0.22kg)	5/8"-11 Thread Grade 8 Bolt, 2.5" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut
MT-PL-SP-06-06-0050	6" x 6" x 0.50" (152.40mm x 152.40mm x 12.70mm)	1.00lbs (0.45kg)	(M16 x 2 Thread, 64mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)
MT-PL-SP-12-12-0025*	12" x 12" x 0.25" (304.80mm x 304.80mm x 6.35mm)	2.40lbs (1.08kg)	5/8"-11 Thread Grade 8 Bolt, 3" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut
MT-PL-SP-12-12-0050*	12" x 12" x 0.50" (304.80mm x 304.80mm x 12.70mm)	4.90lbs (2.22kg)	(M16 x 2 Thread, 76mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible*



Serialized & Traceable

*Only 12" Spacer Plates are compatible with standard Truss

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK


MH

FH


GL

Series | **PL Plates**

Product Number | MT-PL-SP-XX-XX-XXXX



MT-PL-SP-12-12-XXXX



MT-PL-SP-06-06-XXXX

SIZE	THICKNESS	PART NUMBER
12"	1/4"	MT-PL-SP-12-12-0025
12"	1/2"	MT-PL-SP-12-12-0050
06"	1/4"	MT-PL-SP-06-06-0025
06"	1/2"	MT-PL-SP-06-06-0050



PRECISION LEVEL LINES - 1/64" (1.588 mm) BRACKET (1) DIMENSIONS ARE IN MM

9/5/2018

REVISION: V1

DESCRIPTION:

SPACER PLATES

PART NUMBER:

MT-PL-SP-XX-XX-XXX


Base Plates 12" | 18" | 24" | 36"



MT-PL-B-24-24-0075



MT-PL-B-18-18-0075



MT-PL-B-12-12-0075

Standard Material	A36 Low Carbon Steel
Standard Finish	25 - Silver
Available Finish(es)	10-12, 20-33
Hole Size	11/16" (17.46mm)
Recommended Tools	Tool Kit 1
For More Info	www.ModTruss.com

Part #	Size	Weight	Recommended Hardware
MT-PL-B-36-36-0075 <i>36" x 36" Steel Base Plate</i>	36" x 36" x 0.25" (914.40mm x 914.40mm x 6.35mm)	103.90lbs (47.13kg)* Non-Certified	5/8"-11 Thread Grade 8 Bolt, 2.5" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut
MT-PL-B-24-24-0075 <i>24" x 24" Steel Base Plate</i>	24" x 24" x 0.25" (609.60mm x 609.60mm x 6.35mm)	49.70lbs (22.54kg)	(M16 x 2 Thread, 64mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)
MT-PL-B-18-18-0075 <i>18" x 18" Steel Base Plate</i>	18" x 18" x 0.25" (457.20mm x 457.20mm x 6.35mm)	28.80lbs (13.06kg)	5/8"-11 Thread Grade 8 Bolt, 2" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut
MT-PL-B-12-12-0075 <i>12" x 12" Steel Base Plate</i>	12" x 12" x 0.25" (304.80mm x 304.80mm x 6.35mm)	12.50lbs (5.67kg)	(M16 x 2 Thread, 50mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW

TK

MH

FH


GL

Series | **PL Plates**


Product Number | MT-PL-B-XX-XX-0075




MT-PL-B-12-12-0075




MT-PL-B-18-18-0075



MT-PL-B-36-36-0075




MT-PL-B-24-24-0075



	PRECISION LEVEL: MED. $\pm .06$ [1.57] BRACKET [1] DIMENSIONS ARE IN MM	
	8/16/2018	REVISION: VI
DESCRIPTION: BASE PLATES		
PART NUMBER: MT-PL-B-XX-XX-0075		

Base Plate 48" x 48"

Part Number | MT-PL-B-48-48-1000



Standard Material	A36 Low Carbon Steel
Standard Finish	95 - Enamel Satin Black
Available Finish(es)	02, 95-96
Size	48" x 48" x 1" (1219.20mm x 1219.20mm x 25.40mm)
Weight	630.00lbs* (285.76kg) *Not Certified
Hole Size	11/16" (17.46mm)
Recommended Hardware	5/8"-11 Thread Grade 8 Bolt, 2.5" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut (M16 x 2 Thread, 64mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)
Recommended Tools	Tool Kit 1
For More Info	www.ModTruss.com



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW


TK

MH


FH

GL

Product Number | MT-PL-B-48-48-1000



Weld Blanks



MT-PL-WB-12-12-XXX-ST



MT-PL-WB-06-12-XXX-ST



MT-PL-WB-06-06-XXX-ST

Standard Material	A36 Low Carbon Steel
Standard Finish	02 - No Finish
Available Finish(es)	N/A
Hole Size	11/16" (17.46mm)
Recommended Hardware	5/8"-11 Thread Grade 8 Bolt, 2" Long 5/8" SAE Zinc-Plated Washer 5/8"-11 Thread, Grade 8 Hex Nut (M16 x 2 Thread, 50mm Long, Class 10.9 Bolt M16, Class 10.9 Washer M16 x 2 Thread, Class 10.9 Nut)
Recommended Tools	Tool Kit 1
For More Info	www.ModTruss.com

Part #	Size	Weight
MT-PL-WB-12-12-0025-ST <i>12" x 12" x 1/4" Steel Weld Blank</i>	11.50" x 11.50" x 0.25" (292.10mm x 292.10mm x 6.35mm)	8.40lbs (3.81kg)
MT-PL-WB-12-12-0050-ST <i>12" x 12" x 1/2" Steel Weld Blank</i>	11.50" x 11.50" x 0.50" (292.10mm x 292.10mm x 12.70mm)	17.45 (7.92kg)
MT-PL-WB-06-12-0025-ST <i>6" x 12" x 1/4" Steel Weld Blank</i>	5.75" x 11.75" x 0.25" (146.05mm x 298.45mm x 6.35mm)	4.35lbs (1.97kg)
MT-PL-WB-06-12-0050-ST <i>6" x 12" x 1/2" Steel Weld Blank</i>	5.75" x 11.75" x 0.50" (146.05mm x 298.45mm x 12.70mm)	8.80lbs (3.99kg)
MT-PL-WB-06-06-0025-ST <i>6" x 6" x 1/4" Steel Weld Blank</i>	5.75" x 5.75" x 0.25" (146.05mm x 146.05mm x 6.35mm)	2.10lbs (0.95kg)
MT-PL-WB-06-06-0050-ST <i>6" x 6" x 1/2" Steel Weld Blank</i>	5.75" x 5.75" x 0.50" (146.05mm x 146.05mm x 12.70mm)	4.20lbs (1.90kg)



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

TR

EX

PL

JH

PA

HG

MR

AC

HW



TK

MH


FH

GL

Product Number | MT-PL-WB-XX-XX-XXXX-XX



SIZE	THICKNESS	MATERIAL	PART NUMBER
12"x12"	1/4"	ALUMINUM	MT-PL-WB-12-12-0025-AL
12"x12"	1/4"	STEEL	MT-PL-WB-12-12-0025-ST
12"x12"	1/2"	ALUMINUM	MT-PL-WB-12-12-0050-AL
12"x12"	1/2"	STEEL	MT-PL-WB-12-12-0050-ST
06"x12"	1/4"	ALUMINUM	MT-PL-WB-06-12-0025-AL
06"x12"	1/4"	STEEL	MT-PL-WB-06-12-0025-ST
06"x12"	1/2"	ALUMINUM	MT-PL-WB-06-12-0050-AL
06"x12"	1/2"	STEEL	MT-PL-WB-06-12-0050-ST
06"x06"	1/4"	ALUMINUM	MT-PL-WB-06-06-0025-AL
06"x06"	1/4"	STEEL	MT-PL-WB-06-06-0025-ST
06"x06"	1/2"	ALUMINUM	MT-PL-WB-06-06-0050-AL
06"x06"	1/2"	STEEL	MT-PL-WB-06-06-0050-ST



	PRECISION LEVEL: MED. +.06 -.59 BRACKET (I) DIMENSIONS ARE IN MM	
	8/16/2018	REVISION: V1

DESCRIPTION:

WELD BLANKS

PART NUMBER:

MT-PL-WB-XX-XX-XXXX-XX